

Model	Manufacturer	CPU Series	Form Factor	Number of Sockets	Max Memory (GB)	Release/Detail URL	Releases	Footnote
AS-1022G-NTF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20482">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20482</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
AS-1022G-NTF	Supermicro Computer Inc	AMD Opteron 6300 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34840">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34840</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
AS-1022G-URF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20483">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20483</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
AS-1022G-URF	Supermicro Computer Inc	AMD Opteron 61xx Series	Rack or Tower	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18812">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18812</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Embedded U3   ESXi 4.1 Embedded U2   ESXi 4.1 Embedded U1   ESXi 4.1 Embedded   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESXi 4.0 Embedded U4   ESXi 4.0 Embedded U3   ESXi 4.0 Embedded U2   ESXi 4.0 Embedded U1   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.
AS-2021M-32R	Supermicro Computer Inc	AMD Opteron 23xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5032">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5032</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1	
AS-2021M-UR+V/B	Supermicro Computer Inc	AMD Opteron 82xx Series	Rackmount	2	64	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=3335">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=3335</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5   ESX 3.0.3 U1   ESX 3.0.3   ESX 3.0.2 U1   ESX 3.0.2	
AS-2021TM-BIBXRF	Supermicro Computer Inc	AMD Opteron 23xx Series	Rackmount	2	64	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13526">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13526</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1   ESXi 4.0 Installable	

AS-2021TM-BTRF	Supermicro Computer Inc	AMD Opteron 23xx Series	Rackmount	2	64	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14006">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14006</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
AS-2022G-URF	Supermicro Computer Inc	AMD Opteron 61xx Series	Rack or Tower	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19529">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19529</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Embedded U3   ESXi 4.1 Embedded U2   ESXi 4.1 Embedded U1   ESXi 4.1 Embedded   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESXi 4.0 Embedded U4   ESXi 4.0 Embedded U3   ESXi 4.0 Embedded U2   ESXi 4.0 Embedded U1   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.
AS-2022G-URF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20437">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20437</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
AS-2022G-URF4+	Supermicro Computer Inc	AMD Opteron 61xx Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19541">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19541</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
AS-2022G-URF4+	Supermicro Computer Inc	AMD Opteron 6300 Series	Rackmount	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35186">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35186</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
AS-2022TG-H6RF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34773">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34773</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
AS-2022TG-HLIBQRF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20729">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20729</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
AS-2022TG-HLTRF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20730">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20730</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	

AS-2022TG-HTRF	Supermicro Computer Inc	AMD Opteron 61xx Series	Rack or Tower	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18814">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18814</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Embedded U3   ESXi 4.1 Embedded U2   ESXi 4.1 Embedded U1   ESXi 4.1 Embedded   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESXi 4.0 Embedded U4   ESXi 4.0 Embedded U3   ESXi 4.0 Embedded U2   ESXi 4.0 Embedded U1   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.
AS-2022TG-HTRF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20728">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20728</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
AS-2041M-32R	Supermicro Computer Inc	AMD Opteron 83xx Series	Rack or Tower	4	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12680">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12680</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	ESX server requires on-board LSI1068E to use IT mode of operation. Use OEM's documentation for instructions to FLASH in appropriate firmware for the same.
AS-2041M-32R+B	Supermicro Computer Inc	AMD Opteron 83xx Series	Rackmount	4	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4958">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4958</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
AS-2042G-6RF	Supermicro Computer Inc	AMD Opteron 61xx Series	Rackmount	4	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18696">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18696</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.
AS-2042G-6RF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33763">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33763</a>	ESX 4.1 U3   ESX 4.1 U2   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2	

AS-2042G-6RF	Supermicro Computer Inc	AMD Opteron 6300 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36002">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36002</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
AS-2042G-72RF4	Supermicro Computer Inc	AMD Opteron 6300 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35184">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35184</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5   ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
AS-2042G-TRF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=32266">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=32266</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
AS-2122TG-H6RF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34774">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34774</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
AS-4021GA-62R F	Supermicro Computer Inc	AMD Opteron 24xx Series	Rack or Tower	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14515">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14515</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1
AS-4022G-6F	Supermicro Computer Inc	AMD Opteron 61xx Series	Rack or Tower	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19390">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19390</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable
AS-4022G-6F	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21917">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21917</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
AS-4022G-6F	Supermicro Computer Inc	AMD Opteron 6300 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37343">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37343</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5   ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
AS-4041M-32R	Supermicro Computer Inc	AMD Opteron 23xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13984">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13984</a>	ESX 3.5 U5   ESX 3.5 U4

AS-4041M-T2R	Supermicro Computer Inc	AMD Opteron 83xx Series	Rack or Tower	4	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12122">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12122</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
AS-4042G-6RF	Supermicro Computer Inc	AMD Opteron 61xx Series	Rackmount	4	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19034">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19034</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.
AS-4042G-6RF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rack or Tower	4	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20538">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20538</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
PIO-126T-3LN4-001-SI040	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20936">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20936</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5   ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.

PIO-126T-3LN4-002-SI040	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20935">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20935</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5   ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.ESX server requires on-board LSI1068E to use IT mode of operation. Use OEM's documentation for instructions to FLASH in appropriate firmware for the same.
SBA-7142G-T4	Supermicro Computer Inc	AMD Opteron 61xx Series	Blade	4	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20223">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20223</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1	
SBA-7142G-T4	Supermicro Computer Inc	AMD Opteron 6200 Series	Blade	4	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20313">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20313</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SBA-7222G-T2	Supermicro Computer Inc	AMD Opteron 61xx Series	Blade	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19827">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19827</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1	
SBA-7222G-T2	Supermicro Computer Inc	AMD Opteron 6200 Series	Blade	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21612">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21612</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SBI-7125C-S3	Supermicro Computer Inc	Intel Xeon 54xx Series	Blade	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5330">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5330</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	

SBI-7125C-S3E	Supermicro Computer Inc	Intel Xeon 54xx Series	Blade	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5329">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5329</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SBI-7125C-T3	Supermicro Computer Inc	Intel Xeon 54xx Series	Blade	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14009">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14009</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SBI-7125W-S6	Supermicro Computer Inc	Intel Xeon 52xx Series	Blade	2	64	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4853">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4853</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SBI-7125W-S6	Supermicro Computer Inc	Intel Xeon 54xx Series	Blade	2	64	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4909">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4909</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SBI-7126T-S6	Supermicro Computer Inc	Intel Xeon 55xx Series	Blade	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14057">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14057</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1	Download driver from <a href="http://downloads.vmware.com/d/info/datacenter_downloads/vmware_vsphere_4/4_0#drivers_tools">http://downloads.vmware.com/d/info/datacenter_downloads/vmware_vsphere_4/4_0#drivers_tools</a> The Intel 82576 Gigabit Network Connection on this server requires the igb driver download.Download the driver from <a href="http://www.vmware.com/download/vsphere/drivers_tools.html">http://www.vmware.com/download/vsphere/drivers_tools.html</a>
SBI-7126T-S6	Supermicro Computer Inc	Intel Xeon 56xx Series	Blade	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21711">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21711</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SBI-7126T-SH	Supermicro Computer Inc	Intel Xeon 56xx Series	Blade	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20194">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20194</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1	

SBI-7127RG	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Blade	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34516">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34516</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SBI-7127RG-E	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Blade	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36364">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36364</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SBI-7127R-S6	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Blade	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33828">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33828</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SBI-7127R-SH	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Blade	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34194">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34194</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SBI-7127R-SH	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Blade	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36527">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36527</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SBI-7226T-T2	Supermicro Computer Inc	Intel Xeon 56xx Series	Blade	4	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=16201">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=16201</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Embedded U3   ESXi 4.1 Embedded U2   ESXi 4.1 Embedded U1   ESXi 4.1 Embedded   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESXi 4.0 Embedded U4   ESXi 4.0 Embedded U3   ESXi 4.0 Embedded U2   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2
SBI-7227R-T2	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Blade	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34241">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34241</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SBI-7425C-S3	Supermicro Computer Inc	Intel Xeon 54xx Series	Blade	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5185">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5185</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESXi 3.5 Installable U5   ESXi 3.5 Installable U4   ESXi 3.5 Installable U3   ESXi 3.5 Installable U2   ESXi 3.5 Installable U1   ESXi 3.5 Installable
SBI-7425C-S3E	Supermicro Computer Inc	Intel Xeon 54xx Series	Blade	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5331">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5331</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5



SBI-7425C-T3	Supermicro Computer Inc	Intel Xeon 54xx Series	Blade	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12124">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12124</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SBI-7426T-T3	Supermicro Computer Inc	Intel Xeon 55xx Series	Blade	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12716">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12716</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SBI-7427R-S2L	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Blade	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34445">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34445</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SBI-7427R-S3	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Blade	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33977">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33977</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SBI-7427R-SH	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Blade	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34444">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34444</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SBI-7427R-T3	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Blade	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34240">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34240</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SSG-2027R-AR24	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34238">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34238</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SSG-2027R-E1R24N	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34246">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34246</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SSG-6027R-AR12	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34243">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34243</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	

SSG-6027R-E1R12L	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34216">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34216</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
SSG-6027R-E1R12N	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21810">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21810</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SSG-6027R-E1R12T	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21866">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21866</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SSG-6037R-AR16	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34247">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34247</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SSG-6037R-E1R16L	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34244">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34244</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
SSG-6037R-E1R16N	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21856">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21856</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SSG-6037R-E1R16T	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21948">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21948</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SSG-6047R-E1R24L	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34245">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34245</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
SSG-6047R-E1R24N	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21857">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21857</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1

SSG-6047R-E1R36L	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34218">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34218</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SSG-6047R-E1R36N	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21860">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21860</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-1017C-TF	Supermicro Computer Inc	Intel Xeon E3-1200-v2 Series	Rackmount	1	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33757">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33757</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-1017R-MTF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	1	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22097">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22097</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-1018D-73MTF	Supermicro Computer Inc	Intel Xeon E3-1200-v3 Series	Rackmount	1	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36118">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36118</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-1025C-3	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5456">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5456</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-1025C-M3	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5454">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5454</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-1025TC-TB	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13986">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13986</a>	ESX 3.5 U5   ESX 3.5 U4	
SYS-1025W-URB	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5913">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5913</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	

SYS-1026T-6RF+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20279">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20279</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1	
SYS-1026T-6RFT+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	288	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19301">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19301</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-1026TT-IBQF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13987">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13987</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-1026TT-IBXF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13992">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13992</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-1026TT-TF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13998">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13998</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-1026T-URF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14003">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14003</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-1026T-URF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14030">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14030</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-1026T-URF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19707">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19707</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-1026T-URF4+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19977">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19977</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	

SYS-1027B-MTF	Supermicro Computer Inc	Intel Xeon E5-2400 Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33966">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33966</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-1027B-URF	Supermicro Computer Inc	Intel Xeon E5-2400 Series	Rackmount	2	384	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=30846">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=30846</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-1027GR-TRF+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36858">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36858</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-1027GR-TRFT+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rack or Tower	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36275">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36275</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	ESXi installation to HDD is supported only in AHCI mode on this server.
SYS-1027R-72BRFTP	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34505">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34505</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-1027R-72RFTP	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34167">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34167</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-1027R-72RFTP	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36565">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36565</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-1027R-73DAF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34515">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34515</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-1027R-73DARF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34518">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34518</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	

SYS-1027R-73DBRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34514">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34514</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-1027R-WC1R	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36140">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36140</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-1027R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21883">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21883</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-1027R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36465">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36465</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-1027R-WRF4+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21556">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21556</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-1027R-WRF4+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36001">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36001</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-1027R-WRFT+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21719">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21719</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-1027R-WRFT+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1536	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35747">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35747</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-1027TR-TQF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36520">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36520</a>	ESXi 5.1 U2   ESXi 5.1 U1	

SYS-2021M-T2R V/B	Supermicro Computer Inc	AMD Opteron 24xx Series	Rackmount	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13612">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13612</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1   ESXi 4.0 Installable	
SYS-2022TG-HIBQRF	Supermicro Computer Inc	AMD Opteron 6200 Series	Rackmount	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20593">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20593</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-2026T-6RF+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19130">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19130</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1	
SYS-2026TT-H6IBQRF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19494">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19494</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-2026TT-H6IBXRF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20754">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20754</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-2026TT-H6RF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19127">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19127</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-2026TT-HIBXRF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20204">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20204</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.
SYS-2026TT-HIBXRF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20368">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20368</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	

SYS-2026T-URF4+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19131">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19131</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1	
SYS-2027GR-TRF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35821">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35821</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5   ESXi 5.1 U2   ESXi 5.1 U1	
SYS-2027GR-TRT2	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36732">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36732</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-2027PR-DC0R	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36834">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36834</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-2027R-N3RF4+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21555">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21555</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-2027R-N3RF4+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36463">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36463</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-2027R-N3RFT+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33798">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33798</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-2027R-N3RFT+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1536	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36356">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36356</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-2027R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21552">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21552</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	



SYS-2027TR-D70QRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21668">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21668</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-2027TR-D70RF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34059">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34059</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-2027TR-H70FRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21664">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21664</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-2027TR-H70QRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21659">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21659</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-2027TR-H70RF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34054">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34054</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-2027TR-H70RF+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36469">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36469</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-2027TR-H71FRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21458">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21458</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-2027TR-H71QRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21469">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21469</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-2027TR-H71RF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20992">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20992</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	

SYS-2027TR-H71RF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21964">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21964</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-2027TR-H72RF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34057">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34057</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-2027TR-H72RF+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36545">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36545</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-2027TR-HTQRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21474">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21474</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-2027TR-HTRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21813">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21813</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-2027TR-HTRF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34051">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34051</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-4047R-7JRFT	Supermicro Computer Inc	Intel Xeon E5-4600 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21962">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21962</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-4048B-TRFT	Supermicro Computer Inc	Intel Xeon E7-8800/4800/2800-v2	Rackmount	4	2048	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36556">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36556</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-5016T-MTFB	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	1	24	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14007">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14007</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	Native single socket system

SYS-5017C-LF	Supermicro Computer Inc	Intel Xeon E3-1200-v2 Series	Rackmount	1	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33756">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33756</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-5017C-MF	Supermicro Computer Inc	Intel Xeon E3-1200-v2 Series	Rackmount	1	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33755">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33755</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-5017C-MTF	Supermicro Computer Inc	Intel Xeon E3-1200-v2 Series	Rackmount	1	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33758">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33758</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-5017C-MTRF	Supermicro Computer Inc	Intel Xeon E3-1200-v2 Series	Rackmount	1	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22008">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22008</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-5017C-TF	Supermicro Computer Inc	Intel Xeon E3-1200-v2 Series	Rackmount	1	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33759">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33759</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-5017R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	1	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22020">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22020</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-5017R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	1	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36008">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36008</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-5026T-3FB	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	1	24	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13985">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13985</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	Native single socket system
SYS-5026T-TB	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	1	24	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12538">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12538</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	Native single socket system

SYS-5027R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	1	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22101">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22101</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-5027R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	1	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36994">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36994</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-5036T-TB	Supermicro Computer Inc	Intel Xeon 55xx Series	Tower	1	24	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=10411">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=10411</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESX 3.5 U5   ESX 3.5 U4	Native single socket system
SYS-5037MC-H8TRF	Supermicro Computer Inc	Intel Xeon E3-1200-v2 Series	Rackmount	1	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33732">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33732</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-5037MR-H8TRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	1	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34008">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34008</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-5086B-TRF	Supermicro Computer Inc	Intel Xeon E7-8800 Series	Rackmount	8	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20168">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20168</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1	
SYS-6015B-UB	Supermicro Computer Inc	Intel Xeon 53xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5774">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5774</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-6015B-URB	Supermicro Computer Inc	Intel Xeon 53xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5773">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5773</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-6015C-M3B	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4990">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4990</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	

SYS-6015TC-TB	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5285">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5285</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-6015TW-INF	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	64	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4960">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4960</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-6015V-M3B	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	24	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5254">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5254</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-6016GT-TF-TC2	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13618">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13618</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1   ESXi 4.0 Installable	
SYS-6016T-6F	Supermicro Computer Inc	Intel Xeon 56xx Series	Rack or Tower	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19327">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19327</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-6016T-6RF+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20390">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20390</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6016T-6RFT	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19066">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19066</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-6016T-MR	Supermicro Computer Inc	Intel Xeon 55xx Series	Rack or Tower	2	24	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18871">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18871</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1   ESXi 4.0 Installable	
SYS-6016T-MRF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19077">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19077</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	

SYS-6016T-NTF-DC	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34667">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34667</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
SYS-6016T-NTRF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14008">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14008</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0
SYS-6016T-NTRF4+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19105">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19105</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable
SYS-6016T-T	Supermicro Computer Inc	Intel Xeon 55xx Series	Rack or Tower	2	24	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13543">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13543</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1   ESXi 4.0 Installable
SYS-6016T-T	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	24	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36804">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36804</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-6016TT-IBQF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12547">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12547</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0
SYS-6016TT-IBXF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13993">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13993</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0
SYS-6016TT-TF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13999">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13999</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0
SYS-6016T-URF4+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19455">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19455</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable

SYS-6017B-MTF	Supermicro Computer Inc	Intel Xeon E5-2400 Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=32190">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=32190</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017B-MTLF	Supermicro Computer Inc	Intel Xeon E5-2400 Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33970">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33970</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017B-MTRF	Supermicro Computer Inc	Intel Xeon E5-2400 Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33971">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33971</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017B-NTF	Supermicro Computer Inc	Intel Xeon E5-2400 Series	Rackmount	2	384	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=31002">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=31002</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017B-URF	Supermicro Computer Inc	Intel Xeon E5-2400 Series	Rackmount	2	384	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=30844">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=30844</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-72RFTP	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34288">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34288</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-M7RF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34949">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34949</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-M7RF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37454">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37454</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-6017R-N3F	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21621">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21621</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1

SYS-6017R-N3RF4+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21485">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21485</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-N3RF4+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36464">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36464</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-6017R-N3RFT+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21720">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21720</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-NTF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21551">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21551</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-NTF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21482">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21482</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-NTRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21622">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21622</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-TDAF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21656">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21656</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-TDARF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21669">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21669</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-TDF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21609">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21609</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1



SYS-6017R-TDF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35670">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35670</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-6017R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21629">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21629</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6017R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35737">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35737</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-6017TR-TF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22021">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22021</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6025B-TB	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5336">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5336</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5
SYS-6025B-TR+	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14010">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14010</a>	ESX 3.5 U5   ESX 3.5 U4
SYS-6025B-URB/V	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=10339">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=10339</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5
SYS-6025B-URV/B	Supermicro Computer Inc	Intel Xeon 53xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=3330">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=3330</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5   ESX 3.0.3 U1   ESX 3.0.3   ESX 3.0.2 U1   ESX 3.0.2
SYS-6025B-URV/B	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12123">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12123</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0

SYS-6025C-URB	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4842">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4842</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-6025W-NTR+	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	128	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4804">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4804</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-6025W-URB	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4757">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4757</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-6026T-3RF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18504">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18504</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5   ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.
SYS-6026T-6RF+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20391">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20391</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6026T-6RFT+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19504">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19504</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-6026T-NTR+	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	144	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=10485">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=10485</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESX 3.5 U5   ESX 3.5 U4	
SYS-6026T-NTR+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19604">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19604</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	

SYS-6026TT-BIBQF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13989">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13989</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026TT-BIBXF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13995">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13995</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026TT-BTF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14001">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14001</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026TT-BTF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=15003">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=15003</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1	This server uses a processor series that requires a 4.0 U1 patch (Release Name - ESX400-201002001 Bulletin ID ESX400-201002401-BG / Release Name ESXi400-201002001 Bulletin ID ESXi400-201002401-BG) or newer for full support.
SYS-6026TT-D6RF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19341">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19341</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-6026T-TF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19441">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19441</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-6026TT-H6RF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21885">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21885</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6026TT-HIBQF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13990">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13990</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	

SYS-6026TT-HIBQRF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13991">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13991</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026TT-HIBXF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13996">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13996</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026TT-HIBXRF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13997">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13997</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026TT-HTRF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20592">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20592</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6026TT-IBQF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13988">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13988</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026TT-IBXF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13994">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13994</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026TT-TF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14000">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14000</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026T-URF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12557">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12557</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-6026T-URF4+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20402">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=20402</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	

SYS-6026X8R2-RB-BI0002	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19347">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19347</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable
SYS-6027B-TLF	Supermicro Computer Inc	Intel Xeon E5-2400 Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33968">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33968</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027B-URF	Supermicro Computer Inc	Intel Xeon E5-2400 Series	Rackmount	2	384	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=26820">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=26820</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027R-3RF4+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21036">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21036</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
SYS-6027R-3RF4+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36367">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36367</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-6027R-72RF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34476">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34476</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027R-72RFT	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21949">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21949</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027R-72RFTP	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34185">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34185</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027R-73DARF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34193">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34193</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0

SYS-6027R-N3RF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21722">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21722</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027R-N3RF4+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21624">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21624</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027R-N3RFT+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21718">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21718</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027R-N3RFT+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1536	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37244">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37244</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-6027R-TDARF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21809">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21809</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027R-TRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21030">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21030</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027R-TRF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35763">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35763</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-6027R-WRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21611">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21611</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-6027TR-D70FRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21660">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21660</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1

SYS-6027TR-D70QRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21657">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21657</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-D70RF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34084">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34084</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6027TR-D70RF+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36472">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36472</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-6027TR-D71FRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21473">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21473</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-D71QRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21467">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21467</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-D71RF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21468">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21468</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-D71RF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34085">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34085</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6027TR-DTFRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21475">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21475</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-DTQRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21658">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21658</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	

SYS-6027TR-DTRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21470">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21470</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-DTRF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34087">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34087</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6027TR-H70FRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21461">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21461</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-H70QRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21663">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21663</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-H70RF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21465">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21465</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-H70RF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34086">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34086</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6027TR-H70RF+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36323">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36323</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-6027TR-H71QRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21661">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21661</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-H71RF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21459">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21459</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	



SYS-6027TR-H71RF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34088">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34088</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6027TR-HTFRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21462">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21462</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-HTFRF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35738">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35738</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-6027TR-HTQRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21463">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21463</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-HTRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21466">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21466</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6027TR-HTRF+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34089">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34089</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-6027TR-HTRF+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35845">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35845</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5   ESXi 5.1 U2   ESXi 5.1 U1	
SYS-6028R-TR	Supermicro Computer Inc	Intel Xeon E5-2600-v3 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37492">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37492</a>	ESXi 5.5 U2	
SYS-6028R-TRT	Supermicro Computer Inc	Intel Xeon E5-2600-v3 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37384">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37384</a>	ESXi 5.5 U2	

SYS-6028U-TR4+	Supermicro Computer Inc	Intel Xeon E5-2600-v3 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37494">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37494</a>	ESXi 5.5 U2	
SYS-6028U-TRT+	Supermicro Computer Inc	Intel Xeon E5-2600-v3 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37493">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37493</a>	ESXi 5.5 U2	
SYS-6035B-8R+V	Supermicro Computer Inc	Intel Xeon 53xx Series	Rackmount	2	64	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=3297">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=3297</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5   ESX 3.0.3 U1   ESX 3.0.3   ESX 3.0.2 U1   ESX 3.0.2	
SYS-6035B-8R+V/B	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	64	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4923">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4923</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-6036ST-6LR	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19484">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19484</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-6036T-3R	Supermicro Computer Inc	Intel Xeon 55xx Series	Rack or Tower	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=11647">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=11647</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5   ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESX 3.5 U5   ESX 3.5 U4	ESX server requires on-board LSI1068E to use IT mode of operation. Use OEM's documentation for instructions to FLASH in appropriate firmware for the same.
SYS-6036T-6RF	Supermicro Computer Inc	Intel Xeon 56xx Series	Rack or Tower	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18938">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18938</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-6037R-72RFT	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21946">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21946</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-6037R-TXRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21807">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21807</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	

SYS-6047R-TXRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21808">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21808</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-7036A-3	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	24	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12554">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=12554</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	ESX server requires on-board LSI1068E to use IT mode of operation. Use OEM's documentation for instructions to FLASH in appropriate firmware for the same.
SYS-7037A-i	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21672">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21672</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-7045A-C3B	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	48	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5451">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5451</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-7045B-TR+B	Supermicro Computer Inc	Intel Xeon 54xx Series	Rackmount	2	32	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5366">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5366</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-7046A-HR	Supermicro Computer Inc	Intel Xeon 55xx Series	Rack or Tower	2	144	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13559">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13559</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1   ESXi 4.0 Installable	
SYS-7046A-HR F	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	144	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13824">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=13824</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1   ESXi 4.0 Installable   ESX 3.5 U5   ESX 3.5 U4   ESXi 3.5 Installable U5   ESXi 3.5	
SYS-7046GT-TRF	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14004">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14004</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	

SYS-7046T-6F	Supermicro Computer Inc	Intel Xeon 56xx Series	Rack or Tower	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19328">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19328</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-7046T-H6R	Supermicro Computer Inc	Intel Xeon 55xx Series	Rack or Tower	2	96	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14058">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=14058</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESXi 4.0 Installable U4   ESXi 4.0 Installable U3   ESXi 4.0 Installable U2   ESXi 4.0 Installable U1	
SYS-7046T-H6R	Supermicro Computer Inc	Intel Xeon 56xx Series	Rack or Tower	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21178">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21178</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-7046T-NTR+	Supermicro Computer Inc	Intel Xeon 55xx Series	Rackmount	2	144	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=15204">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=15204</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0	
SYS-7046T-NTR+	Supermicro Computer Inc	Intel Xeon 56xx Series	Rackmount	2	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19638">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19638</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-7047A-T	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21581">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21581</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-7047GR-TPRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22098">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22098</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-7047GR-TRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22019">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=22019</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-7047GR-TRF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rack or Tower	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36373">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36373</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	

SYS-7047R-3RF4+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	768	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21142">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21142</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
SYS-7047R-3RF4+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36470">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36470</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-7047R-72RFT	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21947">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21947</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-7047R-TRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rack or Tower	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21138">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21138</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1
SYS-7047R-TRF	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36466">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36466</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5
SYS-7047R-TXRF	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21728">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21728</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0
SYS-8016B-6F	Supermicro Computer Inc	Intel Xeon 75xx Series	Rackmount	4	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19398">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19398</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable
SYS-8016B-TF	Supermicro Computer Inc	Intel Xeon 75xx Series	Rackmount	4	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19533">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19533</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable
SYS-8016B-TLF	Supermicro Computer Inc	Intel Xeon E7-4800 Series	Rackmount	4	1000	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21771">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21771</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0

SYS-8017R-7FT+	Supermicro Computer Inc	Intel Xeon E5-4600 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21942">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21942</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-8017R-TF+	Supermicro Computer Inc	Intel Xeon E5-4600 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21944">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21944</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-8025C-3RB	Supermicro Computer Inc	Intel Xeon 74xx Series	Rackmount	4	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18912">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=18912</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3	ESX server requires on-board LSI1068E to use IT or IR mode of operation. Use OEM's documentation for instructions to FLASH in appropriate firmware for the same.
SYS-8025C-3RB	Supermicro Computer Inc	Intel Xeon 73xx Series	Rackmount	4	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5457">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=5457</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-8026B-6RF	Supermicro Computer Inc	Intel Xeon 75xx Series	Rackmount	4	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19483">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19483</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-8026B-TRF	Supermicro Computer Inc	Intel Xeon 75xx Series	Rackmount	4	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19453">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19453</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-8026B-TRLF	Supermicro Computer Inc	Intel Xeon E7-4800 Series	Rackmount	4	1000	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21732">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21732</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-8027R-7RFT+	Supermicro Computer Inc	Intel Xeon E5-4600 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21867">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21867</a>	ESXi 5.1 U1   ESXi 5.0 U3   ESXi 5.0 U1	
SYS-8027R-TRF+	Supermicro Computer Inc	Intel Xeon E5-4600 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21887">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21887</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	

SYS-8045C-3RB	Supermicro Computer Inc	Intel Xeon 73xx Series	Rackmount	4	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4938">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=4938</a>	ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3   ESX 3.5 U2   ESX 3.5 U1   ESX 3.5	
SYS-8045C-3RB	Supermicro Computer Inc	Intel Xeon 74xx Series	Rackmount	4	192	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=9572">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=9572</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESX 4.0 U4   ESX 4.0 U3   ESX 4.0 U2   ESX 4.0 U1   ESX 4.0   ESX 3.5 U5   ESX 3.5 U4   ESX 3.5 U3	ESX server requires on-board LSI1068E to use IT or IR mode of operation. Use OEM's documentation for instructions to FLASH in appropriate firmware for the same.
SYS-8046B-6RF	Supermicro Computer Inc	Intel Xeon 75xx Series	Rackmount	4	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19439">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19439</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0   ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-8046B-TRF	Supermicro Computer Inc	Intel Xeon 75xx Series	Rackmount	4	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19532">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=19532</a>	ESX 4.1 U3   ESX 4.1 U2   ESX 4.1 U1   ESX 4.1   ESXi 4.1 Installable U3   ESXi 4.1 Installable U2   ESXi 4.1 Installable U1   ESXi 4.1 Installable	
SYS-8046B-TRLF	Supermicro Computer Inc	Intel Xeon E7-4800 Series	Rackmount	4	1000	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21752">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21752</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-8047R-7JRFT	Supermicro Computer Inc	Intel Xeon E5-4600 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21961">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21961</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-8047R-7RFT+	Supermicro Computer Inc	Intel Xeon E5-4600 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21943">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21943</a>	ESXi 5.1 U1   ESXi 5.0 U3   ESXi 5.0 U1	
SYS-8047R-TRF+	Supermicro Computer Inc	Intel Xeon E5-4600 Series	Rackmount	4	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21945">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21945</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-A1SAi	Supermicro Computer Inc	Intel Atom C2700 Series	Mother Board	1	64	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37037">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=37037</a>	ESXi 5.5 U2   ESXi 5.5 U1	

SYS-F617R2-R72+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33803">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33803</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F617R2-RT+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33802">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33802</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F617R3-FT	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33728">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=33728</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F627G2-F73PT+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34985">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34985</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F627G2-FTPT+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34987">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34987</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F627G3-F73PT+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34788">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34788</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F627G3-F73PT+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35686">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35686</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-F627G3-FTPT+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	512	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34986">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34986</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F627R2-F73	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34292">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34292</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	



SYS-F627R2-FT	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34290">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34290</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F627R3-F73	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34195">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34195</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1   ESXi 5.0	
SYS-F627R3-FT	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34291">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=34291</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F627R3-R72B+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21861">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21861</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F627R3-R72B+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36398">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=36398</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	
SYS-F627R3-RTB+	Supermicro Computer Inc	Intel Xeon E5-2600 Series	Rackmount	2	256	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21815">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=21815</a>	ESXi 5.1 U2   ESXi 5.1 U1   ESXi 5.1   ESXi 5.0 U3   ESXi 5.0 U2   ESXi 5.0 U1	
SYS-F627R3-RTB+	Supermicro Computer Inc	Intel Xeon E5-2600-v2 Series	Rackmount	2	1024	<a href="http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35654">http://www.vmware.com/resources/compatibility/detail.php?deviceCategory=server&amp;productid=35654</a>	ESXi 5.5 U2   ESXi 5.5 U1   ESXi 5.5	